

# Collaboration Patterns for Knowledge Sharing and Integration in Second Life: A Classification of Virtual 3D Group Interaction Scripts

**Andreas Schmeil**

(University of Lugano, Switzerland  
andreas.schmeil@gmail.com)

**Martin J. Eppler**

(University of Lugano, Switzerland  
epplerm@gmail.com)

**Abstract:** In this paper we propose a classification and systematic description structure based on the pattern paradigm for interaction scripts in Second Life that aim at facilitating knowledge sharing and knowledge integration in groups. We present eight examples of such interactions, a description structure to formalize them, and classify them into four classes according to their design scope and added value. Based on this classification we distinguish among sophisticated 3D collaboration patterns, seamless patterns, decorative patterns, and pseudo patterns.

**Keywords:** Interaction, Knowledge Visualization, Patterns, Second Life, Knowledge Sharing, Knowledge Integration, Collaboration, Collaborative Virtual Environments

**Categories:** H.4.3, H.5.3, J.5, M.0

## 1 Introduction

Modern organizations have realized that information and knowledge is essential for their success. The increasing use of electronic information systems in work processes is the foundation of the development of the concept of organization memory and the driving motor in the research field of knowledge management.

Tomek states that the information capturing part of a knowledge management system should include a Collaborative Virtual Environment (CVE) [Tomek, 01]. He defines a CVE as a software environment that creates a configurable universe which emulates a number of serviceable aspects of physical reality, such as the concept of space, movable objects, navigation, and communication between (representations of) humans. The most relevant of the several reasons Tomek gives for his claim are:

- the emulation of physical topology as a natural metaphor, a prerequisite for successful groupware
- CVE allow for organizing both people and information spatially
- awareness of co-workers, usage policies for tools and objects is enhanced
- allocated space can be separated to allow privacy and group restrictions
- computer-mediated communication between disjoint places provides a good basis for recording in context (as all communication can be logged instantly)

Collaborative Virtual Environments can thus enhance sharing and integration of knowledge. We agree in this point and further believe that the use of a three-dimensional CVE can upgrade current knowledge management even more substantially, even in situations that go beyond visualizing data or reviewing spatial models in applications like architecture and design. Our systematic description and classification of group interaction scripts in 3D collaborative environments aims to help facilitate and enhance team collaboration and knowledge management by providing reusable patterns that leverage the ample possibilities only three-dimensional virtual environments offer.

So far it is unclear what enhancements are needed to make a CVE a really good environment for serious distributed collaborations [Bainbridge, 07]. Among other benefits, a classification like the one we propose in this paper could form a first step in the process of formalizing collaboration in virtual environments by providing an overview of so far implemented patterns, could help in the research regarding theories that underlie 3D interaction for collaboration, and could initiate a collection of reusable best practice patterns and templates.

The remainder of this paper starts with giving reasons why 3D collaborative environments in general and the online virtual world Second Life in particular can improve collaboration and knowledge sharing. In chapter 3 we then first discuss previous work that relates to our proposal of a formalization of 3D collaboration patterns. In succession to that we introduce our systematic description structure, show it applied on two example key patterns, and propose our classification. Chapter 4 presents conclusions we could draw, suggest implications of the presented work, and outline some directions of our future work.

## 2 Why Second Life?

The vague definition of CVE in a general sense comprises all systems spanning from text-based environments [Hayes, 98] through environments with simple two-dimensional graphical representations [Vitero, 08] to systems based on Virtual Reality (VR). As mentioned in stating our motivation, our research focuses on the latter, regarding only three-dimensional graphical CVE that are rich in representation and support embodied avatars and 3D objects in spatial relation to each other. Some major advantages in comparison to the former types of CVE are given in the following. After that, characteristics of Second Life that distinguish this online virtual world from other 3D collaborative virtual environments are presented.

### 2.1 3D Collaborative Virtual Environments

Compared to text-based and two-dimensional ‘flat’ graphical CVE, an environment fully based on three dimensions can enhance the functionality in a number of respects. Most importantly, 3D environments provide ways to experience and view information that is *dynamic and interactive* [Krange, 02]. A more accurate *approximation of physical reality* can be provided, which can ease first access to the system and improve overall usability. In the same sense, a “feeling of immersion, a perceptual and psychological sense of *being in the digital environment*” is evoked [McLellan, 96]. Also the feeling of *presence* is enhanced, by the sense of orientation and position

in space. People and information can be *organized* in a more natural way in three dimensions, also making available more real space instead of small corners on flat screens. McLellan states that three-dimensional CVE are proclaimed to be appropriate for model building and problem solving [McLellan, 96].

Casanueva et al. presented experiment results showing that the *awareness* of collaborators and their actions can be significantly enhanced by more realistic representations of persons [Casanueva, 01]. Furthermore, *usage policies* for tools and objects can be illustrated more clearly and in a more natural way employing the theory of affordances [Norman, 88]. And finally, the level of *privacy* of allocated spaces is continuously adjustable in a natural way (cmp. the office design metaphor: open office vs. combo office vs. private office).

A disadvantage of three-dimensional virtual environments mentioned in the literature describes the opinion that 3D models are more difficult to use than 2D data or text and could thus distract a user from communication. We take this issue into account by regarding the design scope of the particular collaboration patterns in our classification. This is explained in more detail in chapter 4. A differentiation in defining CVE is made concerning the accessibility of 3D virtual environments. Immersive collaborative VR systems are in most cases locally installed, while some desktop-based three-dimensional CVE are online virtual worlds with persistent world states, and are thus accessible virtually around the clock (with regards to system downtime). The fact that all data is being held online is an important distinction to other CVE, yet the acronym MUVE has been established for these *online* Multi-User Virtual Environments.

For the said reasons also we believe that 3D collaborative environments help make sense of complex data, can help develop a common understanding in a collaborative mind set and engage people through appealing and memorable experiences. The latter can lead to an increased involvement, can focus attention of the participants, and provide a good basis for creativity.

## 2.2 Relevant Characteristics of Second Life

Second Life is an online Multi-User Virtual Environment (MUVE), i.e. a special type of CVE [Second Life, 08]. Using a viewer software, everyone can access this virtual world, from anywhere, at any time. The status of the world is persistent; no data is lost, nor has massive data to be up- or downloaded at login. Users are represented by extremely customizable avatars that have a unique name and can resemble strong own identities. Targeting businesses and entrepreneurs, Second Life is often advertized as “a place where there are no real-world manufacturing or service costs and few barriers to what’s possible”. Second Life was launched in 2003. After a massive hype in 2007, the statistics of April 2008 state that over 13 million users had registered in total, and about 1 million users had signed in during the preceding 60 days [SL Stats, 08]. Characteristics of SL relevant for knowledge management and collaboration are:

- content is produced by residents of the world; developers provide powerful tools designed to be used by everyone [Ondrejka, 08]
- in-world spaces are thus easily reconfigurable and extendable at any time
- avatars can present valuable identity information solely by appearance

- group and private chat functionality, as well as object sharing provide inherent collaboration possibilities

### 3 Collaboration Patterns for Knowledge Management

A pattern is a description of a known solution to a specific type of problem [Gottesdiener, 01]. The theory of patterns, originally developed for architecture [Alexander, 99], but in practice more commonly used in software development [Gamma, 95], can be usefully applied to the domain of collaboration.

Collaboration patterns can be understood in terms of how users act in dialogues and in the usage of artifacts [Krange, 02]. Gottesdiener defines them as techniques, behaviors, and activities for people who share a common goal of working together in a group [Gottesdiener, 01]. For our proposed formalization and classification of different collaboration situations through the use of patterns (cmp. [Zigurs, 08]), we use this definition and extend it by the requirements for the creation of the virtual experience. This is explained in more detail in section 3.2. We believe that the pattern concept offers the right type of granularity and reproducibility to capture and *envision* collaboration possibilities in Second Life. This seems feasible as the pattern approach has been applied to similar endeavours such as e-learning, webdesign or programming.

#### 3.1 Related Work

The MG Taylor Corporation developed a modeling language, introducing patterns for collaboration and organization in enterprises [MGTaylor, 96]. Whyte et al. investigate visual practices – practices around visual materials, i.e. artifacts that embody the current status of a design or act as mediating devices to develop understanding [Whyte, 07]. Visual materials play a significant role in knowledge practices within organizations. Krange investigated collaboration patterns for learning in Second Life, but only to a certain extent [Krange, 02]. Since that research strongly focused on learning, i.e. on knowledge construction, the analysis of the interrelations between actors, especially vocal interaction were investigated.

#### 3.2 Description of Collaboration Patterns

In the following we introduce a systematic description structure which we developed as a means to formalize collaboration patterns in 3D virtual environments. We applied this description structure on the various patterns that emerged in our research in Second Life. Due to lack of space, this paper only presents the descriptions of two of the key collaboration patterns of the eight we found and classified in the end. Figure 1 shows two screenshots of within Second Life: a virtual meeting (a) and a virtual design studio (b). The latter facilitates the collaborative design and implementation of functionality of a door with a security panel – rapid prototyping at its best: door and panel can be tested already during the creation and design process. Table 1 shows our description structure, applied on the two shown collaboration patterns. We describe such a pattern among other criteria through its usage situation, i.e. the context in which the virtual environment is used, the aim of the usage, the level of intensity of the participants' interaction as well as common actions of the avatars, what artifacts

are required in general, risks or caveats of the pattern and the design scope: the amount of effort required to develop the environment for the collaboration pattern.



Figure 1: Screenshots of (a) a Virtual Meeting and (b) a Virtual Design Studio in Second Life ((b) from [Bainbridge, 07])

Pattern Name	Virtual Meeting	Virtual Design Studio
Usage Situations	project meeting, team meeting	product development/design, architectural design
Objective	knowledge transfer and decision making	design of a physical (or virtual) object
# Participants	< 15	< 5
Interaction Intensity	low to medium	high
Typical Duration	up to 1 hour	up to 4 hours
Required Artifacts	places to sit, information displays	designing tools, sketching tools, plans
Avatar Actions	chatting, showing	modeling, designing, sketching
Risks	not making use of 3D features	design influenced by limited functionality of design studio
Design Scope	medium: room design and projections	very high: design tools, sketching tools; interaction design

Table 1: Description structure for collaboration patterns in Second Life, applied to two example patterns

### 3.3 A Classification of Collaboration Patterns

We propose a classification of collaboration patterns in 3D virtual environments by arranging them in two dimensions according to their design scope and their 3D added value. By design scope we mean the amount of effort that is necessary to stage the particular collaboration pattern; 3D added value can be seen as a compound measurement comprising efficiency, cost, and quality of the collaboration and its outcomes. We chose these dimensions to put into relation the effort of designing a virtual 3D experience with the outcome gained from it. The design scope could be gauged in measuring the time and manpower required to prepare the collaboration setting and functionality, while the compound axis of 3D added value is more complex to measure. In this early stage of research, both measurements are

operationalized qualitatively. Choosing these criteria allows us to distinguish real value added collaboration patterns from merely cosmetic ones. Our research scope will focus on patterns that can be deployed in organizational contexts. The principal research methods used are participant observation in Second Life and subsequent classification and documentation. The classification showing the first eight emergent patterns is shown in figure 2. Elliptic elements in the figure make clear that there can be different occurrences of one pattern.

To exemplify the two axes, the upper extreme in added value would be a collaboration pattern that is time-efficient (e.g. product modeling and reviewing/testing at the same time), saves costs (e.g. in physical prototype production) and can result in a higher quality (by e.g. seeing a product in its designated usage context), like the *Virtual Design Studio* pattern. The design scope in this case is high, due to the necessary a-priori implementation of design and modeling functionalities and tools. The *Virtual Workplace* pattern describes the mirroring of ongoing work and workplaces in the real world into the CVE, e.g. casting the computer screens of employees while they are working (called ‘screencasting’) onto walls or other in-world projections. Co-workers can thus get an overview of what everybody is currently working on by wandering through the virtual workplace and can give help in particular cases. Another example pattern of collaborative work is *Knowledge Map Co-Construction*. Collaborators construct and modify a knowledge map in the CVE. The 3D added value here is based around collaborative interaction as well as viewing and editing multiple designs of a knowledge map in context. Obviously, many of the classified patterns share the fact that putting more design effort into the collaboration pattern leads to more added value; this can be seen by the orientation of some ellipses from the left-lower corner to the right-upper corner.

A *Learning Trail* is a means for providing stepwise knowledge acquisition by positioning objects of any complexity as learning content along a trail in the virtual world. People share and perceive common interests implicitly by meeting in front of the same objects. This concept of premeditated serendipity is also applied in the *Knowledge Fair* pattern, which differs from the learning trail in terms of time scheduling. A knowledge fair is an event while a learning trail is more of a persistent exposition. The two patterns are different also in terms of complexity of the presented objects, as at knowledge fairs mostly simple elements like posters and video/slideshow presentations are on display. We called this class, which comprises 3D experiences as a natural solution to problems, “Quick Wins” to emphasize the great 3D added value compared to a rather low designing effort required.

Descending the axis of 3D added value, two patterns emerged that use the 3D experience as a means for motivating collaborators to participate and for higher engagement; we called them “decorative patterns”. The *Virtual Meeting* pattern in the simplest form merely constitutes the staging of a meeting room where collaborators can chat and talk to each other and hold presentations. Also in this case, as illustrated in figure 2, adding more functionality to get a higher added value comes with an increase in implementation effort. The *Group Configuration* pattern comprises all group activities that follow the “voting by feet” principle, i.e. using localization, navigation and other spatial cues as an indication of personal preference. For example, a group of people can divide into disjoint subgroups for voting or to answer a question; the results and tendencies are visualized.




Figure 2: A classification of collaboration patterns by design scope and 3D added value

An example of a 3D experience as a useless and expensive gimmick we have come across is the creation and editing of a Powerpoint presentation on a Second Life collaborative design screen. In the classification this is represented by the pseudo pattern *2D Document Manipulation*. The complex user interface of enabling several people to work on a 2D document together could be done easier and more convenient in a 2D collaborative environment, for example in Google Docs [GoogleDocs, 08].

#### 4 Conclusions and Future Work

The presented classification should sensitize designers and users to the fact that not all collaboration scenarios envisioned for use in Second Life may generate the added value the amount of effort put in might promise. The classification can furthermore be used to empirically test which features lead to high-value patterns and which quadrant patterns are used in which constellations or for which motives. As such the current classification is subject to on-going revisions. It is early work, scientific proof is still to be developed. Nevertheless already its current form helps researchers, designers, and users to assess a 3D collaboration setting in terms of its scope and benefits.

Further steps will include the definition of additional patterns, different classification approaches, and also the development of guidelines for the creation of effective experiences for virtual environments. Future work could furthermore include

an experimental comparison of collaboration tasks in three-dimensional CVE against corresponding tasks in text-based CVE and real-life collaboration, which could be evaluated by performance. Furthermore, to go deeper into collaboration, investigating the question of which theories help to explain 3D interaction for collaboration would be very interesting; for example, the actor-network theory, Gibson's theory of affordances, and the cognitive scaffolding theory. Our research is focusing on Second Life right now because of its availability, the great opportunity to conduct research due to a huge number of events and participants, and its convenience of use, but we are not excluding other virtual worlds and collaborative online environments.

## References

- [Alexander, 99] Alexander, C.: A Pattern Language. IEEE Transactions on Professional Communication, vol. 42, no. 2. 1999.
- [Bainbridge, 07] Bainbridge, W. S.: The Scientific Research Potential of Virtual Worlds. Science, vol. 317, no. 5837. July 2007.
- [Casanueva, 01] Casanueva, J., Blake, E.: The Effects of Group Collaboration on Presence in a Collaborative Virtual Environment. EGVE'00 – 6th Eurographics Workshop on Virtual Environments, June 2000.
- [Gamma, 95] Gamma, E., Helm, R., Johnson, R., Vlissides, J.: Design patterns: elements of reusable object-oriented software. Addison-Wesley Longman Publishing Co., Inc. Boston, MA, USA, 1995.
- [GoogleDocs, 08] Google Docs, 2008, <http://docs.google.com/>
- [Gottesdiener, 01] Gottesdiener, E.: Decide How to Decide: A Collaboration Pattern. Software Development Magazine, vol. 9, no. 1, 2001.
- [Krange, 02] Krange, I., Fjuk, A., Larsen, A., Ludvigsen, S.: Describing construction of knowledge through identification of collaboration patterns in 3D learning environments. Proceedings of CSCL 2002, Boulder, Colorado, USA, January 7-11, 2002.
- [McLellan, 96] McLellan, H.: Virtual Realities. Handbook of Research for Educational Communications and Technology, New York, NY: Macmillan, 1996.
- [MGTaylor, 96] MG Taylor Corporation, 2008, <http://www.mgtaylor.com/>
- [Norman, 88] Norman, D.: The Design of Everyday Things. New York: Basic Books, 1988.
- [Ondrejka, 08] Ondrejka, C.: Education Unleashed: Participatory Culture, Education, and Innovation in Second Life. The Ecology of Games: Connecting Youth, Games, and Learning - Digital Media and Learning. Cambridge, MA: The MIT Press, 2008.
- [Second Life, 08] Second Life, 2008, <http://www.secondlife.com/>
- [SL Stats, 08] Second Life Statistics, 2008, [http://secondlife.com/whatis/economy\\_stats.php](http://secondlife.com/whatis/economy_stats.php)
- [Tomek, 01] Tomek, I.: Knowledge Management and Collaborative Virtual Environments. Journal of Universal Computer Science, vol. 7, no. 6. 2001.
- [Vitero, 08] Vitero, 2008, <http://www.vitero.de/>
- [Whyte, 07] Whyte, J.K., Ewenstein, B., Hales, M., Tidd, J.: Visual practices and the objects used in design. Building Research and Information, vol. 35, no. 1, 2007.
- [Zigurs, 08] Zigurs, I., Khazanchi, D.: From Profiles to Patterns: A New View of Task-Technology Fit. Information Systems Management, 25 (1), pp. 8-13, 2008